

SAP ABAP table RGBUK {Table for Module Pool SAPMGBUK}

RGBUK
<u>DOCNR</u> [CHAR (10)]
<u>DATE</u> [DATS (8)]
<u>MLPERIOD</u> [CHAR (3)]
<u>MLYEAR</u> [NUMC (4)]
<u>RUNIT_FLAG</u> [CHAR (1)]
<u>AUNIT_FLAG</u> [CHAR (1)]
<u>UNIT_TEXT</u> [CHAR (10)]
<u>AUNIT_TEXT</u> [CHAR (10)]
<u>LINE_NR</u> [NUMC (3)]
<u>C_SIDATA</u> [NUMC (3)]
<u>S_SIKEY</u> [NUMC (3)]
<u>C_SIKEY</u> [NUMC (3)]
<u>LOCAL_RATE</u> [DEC (9)]
<u>EXP_LC</u> [NUMC (4)]
<u>VT_TOTAL</u> [CURR (17)]
<u>GROUP_RATE</u> [DEC (9)]
<u>EXP_GC</u> [NUMC (4)]
<u>VL_TOTAL</u> [CURR (17)]
<u>VG_TOTAL</u> [CURR (17)]
<u>GCURR</u> [CUKY (5)]
<u>LCURR</u> [CUKY (5)]
<u>O_D01</u> [CHAR (45)]
<u>O_V01</u> [CHAR (24)]
<u>O_D02</u> [CHAR (45)]
<u>O_V02</u> [CHAR (24)]
<u>O_D03</u> [CHAR (45)]
<u>O_V03</u> [CHAR (24)]
<u>O_D04</u> [CHAR (45)]
<u>O_V04</u> [CHAR (24)]
<u>O_D05</u> [CHAR (45)]
<u>O_V05</u> [CHAR (24)]
<u>O_D06</u> [CHAR (45)]
<u>O_V06</u> [CHAR (24)]
<u>O_D07</u> [CHAR (45)]
<u>O_V07</u> [CHAR (24)]
<u>O_D08</u> [CHAR (45)]
<u>O_V08</u> [CHAR (24)]
<u>O_D09</u> [CHAR (45)]
<u>O_V09</u> [CHAR (24)]
<u>O_D10</u> [CHAR (45)]
<u>O_V10</u> [CHAR (24)]

0..N

0..N

RGBUK-GCURR = TCURC-WAERS

RGBUK-LCURR = TCURC-WAERS

0..N

0..N

TCURC
<u>MANDT</u> [CLNT (3)]
<u>WAERS</u> [CUKY (5)]