

SAP ABAP table RMPSPRO_RULEBASE {Disposal Rulebase}

RMPSPRO_RULEBASE
<u>MANDT</u> [CLNT (3)]
<u>IDENTIFIER</u> [CHAR (24)]
<i>EVENT_TYPE</i> [CHAR (5)]
<i>EVENT_TYPE2</i> [CHAR (5)]
<i>EVENT_TYPE3</i> [CHAR (5)]
<i>TRANSFERLOCATION</i> [CHAR (3)]

RMPSPRO_RULEBASE-TRANSFERLOCATION = RMPSPRO_DP_DEST-EXPORT_DEST 0..N

RMPSPRO_DP_DEST
<u>MANDT</u> [CLNT (3)]
<u>EXPORT_DEST</u> [CHAR (3)]

0..N 1 RMPSPRO_RULEBASE-EVENT_TYPE = RMPSPRO_EVNTTYPE-EVENT_TYPE

0..N 0..N RMPSPRO_RULEBASE-EVENT_TYPE2 = RMPSPRO_EVNTTYPE-EVENT_TYPE

0..N 0..N RMPSPRO_RULEBASE-EVENT_TYPE3 = RMPSPRO_EVNTTYPE-EVENT_TYPE

RMPSPRO_EVNTTYPE
<u>MANDT</u> [CLNT (3)]
<u>EVENT_TYPE</u> [CHAR (5)]