

SAP ABAP table ROIUX3_TX_MASTER_TC_0300 {Tax Reporting - Texas Master Screen 0300 Table Control Struc}

ROIUX3_TX_MASTER_TC_0300-PD_NO = OIUCM_BA_LINK-BA_NO

0..N

OIUCM_BA_LINK
<u>MANDT</u> [CLNT (3)]
<u>BA_NO</u> [CHAR (6)]
<u>BA_SEQ</u> [CHAR (2)]

ROIUX3_TX_MASTER_TC_0300-PD_SEQ_NO = OIUCM_BA_LINK-BA_SEQ

0..N

ROIUX3_TX_MASTER_TC_0300-PU_NO = OIUX3_TX_BATXID-BA_NO

0..N

OIUX3_TX_BATXID
<u>MANDT</u> [CLNT (3)]
<u>BA_NO</u> [CHAR (6)]
<u>BA_SEQ</u> [CHAR (2)]
<u>EFF_FROM_DT</u> [DATS (8)]

ROIUX3_TX_MASTER_TC_0300-PU_SEQ_NO = OIUX3_TX_BATXID-BA_SEQ

0..N

ROIUX3_TX_MASTER_TC_0300-BUKRS = OIU_CM_COMPC-BUKRS

0..N

OIU_CM_COMPC
<u>MANDT</u> [CLNT (3)]
<u>BUKRS</u> [CHAR (4)]

ROIUX3_TX_MASTER_TC_0300-DOI_NO = OIU_DO_DI-DOI_NO

0..N

OIU_DO_DI
<u>MANDT</u> [CLNT (3)]
<u>BUKRS</u> [CHAR (4)]
<u>VNAME</u> [CHAR (6)]
<u>DOI_NO</u> [CHAR (5)]

ROIUX3_TX_MASTER_TC_0300-VNAME = OIU_DO_JV-VNAME

0..N

OIU_DO_JV
<u>MANDT</u> [CLNT (3)]
<u>BUKRS</u> [CHAR (4)]
<u>VNAME</u> [CHAR (6)]

ROIUX3_TX_MASTER_TC_0300-MP_NO = OIU_PR_MP-MP_NO

0..N

OIU_PR_MP
<u>MANDT</u> [CLNT (3)]
<u>MP_NO</u> [CHAR (20)]

ROIUX3_TX_MASTER_TC_0300-WC_NO = OIU_PR_WC-WC_NO

0..N

OIU_PR_WC
<u>MANDT</u> [CLNT (3)]
<u>WL_NO</u> [CHAR (15)]
<u>WC_NO</u> [CHAR (5)]

ROIUX3_TX_MASTER_TC_0300-WL_NO = OIU_PR_WELL-WL_NO

0..N

OIU_PR_WELL
<u>MANDT</u> [CLNT (3)]
<u>WL_NO</u> [CHAR (15)]

ROIUX3_TX_MASTER_TC_0300-CT_NO = OIU_RV_CT-CT_NO

0..N

OIU_RV_CT
<u>MANDT</u> [CLNT (3)]
<u>CT_NO</u> [CHAR (10)]

ROIUX3_TX_MASTER_TC_0300-MANDT = T000-MANDT

0..N

T000
<u>MANDT</u> [CLNT (3)]

ROIUX3_TX_MASTER_TC_0300
<u>MANDT</u> [CLNT (3)]
<u>WL_NO</u> [CHAR (15)]
<u>WC_NO</u> [CHAR (5)]
<u>MP_NO</u> [CHAR (20)]
<u>BUKRS</u> [CHAR (4)]
<u>VNAME</u> [CHAR (6)]
<u>DOI_NO</u> [CHAR (5)]
<u>CT_NO</u> [CHAR (10)]
<u>PU_NO</u> [CHAR (6)]
<u>PU_SEQ_NO</u> [CHAR (2)]
<u>PD_NO</u> [CHAR (6)]
<u>PD_SEQ_NO</u> [CHAR (2)]

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N