

SAP ABAP table ROIUY3\_TX\_MASTER\_TC\_0300 {Royalty 2.0 - TX GLO - Master Data Screen 0300 TC Structure}

ROIUY3\_TX\_MASTER\_TC\_0300-RPT\_ID = OIUX3\_RPT-RPT\_ID

ROIUY3_TX_MASTER_TC_0300
MANDT [CLNT (3)]
RPT_ID [CHAR (10)]
WL_NO [CHAR (15)]
WC_NO [CHAR (5)]
MP_NO [CHAR (20)]
BUKRS [CHAR (4)]
VNAME [CHAR (6)]
DOI_NO [CHAR (5)]
GLO_LEASE [NUMC (6)]
GLO_UNIT_NO [CHAR (4)]

0..N

OIUX3_RPT
MANDT [CLNT (3)]
RPT_ID [CHAR (10)]

0..N

OIUY3_TX_LEASE
MANDT [CLNT (3)]
GLO_LEASE [NUMC (6)]

0..N

OIUY3_TX_UNIT
MANDT [CLNT (3)]
GLO_UNIT_NO [CHAR (4)]
EFF_FROM_DT [DATS (8)]
GLO_LEASE [NUMC (6)]

0..N

OIU_CM_COMPC
MANDT [CLNT (3)]
BUKRS [CHAR (4)]

0..N

OIU_DO_DI
MANDT [CLNT (3)]
BUKRS [CHAR (4)]
VNAME [CHAR (6)]
DOI_NO [CHAR (5)]

0..N

OIU_DO_JV
MANDT [CLNT (3)]
BUKRS [CHAR (4)]
VNAME [CHAR (6)]

0..N

OIU_PR_MP
MANDT [CLNT (3)]
MP_NO [CHAR (20)]

0..N

OIU_PR_WC
MANDT [CLNT (3)]
WL_NO [CHAR (15)]
WC_NO [CHAR (5)]

0..N

OIU_PR_WELL
MANDT [CLNT (3)]
WL_NO [CHAR (15)]

0..N

T000
MANDT [CLNT (3)]

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

ROIUY3\_TX\_MASTER\_TC\_0300-GLO\_LEASE = OIUY3\_TX\_LEASE-GLO LEASE

ROIUY3\_TX\_MASTER\_TC\_0300-GLO\_UNIT\_NO = OIUY3\_TX\_UNIT-GLO\_UNIT NO

ROIUY3\_TX\_MASTER\_TC\_0300-BUKRS = OIU\_CM\_COMPC-BUKRS

ROIUY3\_TX\_MASTER\_TC\_0300-DOI\_NO = OIU\_DO\_DI-DOI\_NO

ROIUY3\_TX\_MASTER\_TC\_0300-VNAME = OIU\_DO\_JV-VNAME

ROIUY3\_TX\_MASTER\_TC\_0300-MP\_NO = OIU\_PR\_MP-MP\_NO

ROIUY3\_TX\_MASTER\_TC\_0300-WC\_NO = OIU\_PR\_WC-WC\_NO

ROIUY3\_TX\_MASTER\_TC\_0300-WL\_NO = OIU\_PR\_WELL-WL\_NO

ROIUY3\_TX\_MASTER\_TC\_0300-MANDT = T000-MANDT