

SAP ABAP table RSFBPFIELDDGENPRO {Open ODS View: Fields}

RSFBPFIELDDGENPRO
<u>FBPNAME</u> [CHAR (30)]
<u>OBJVERS</u> [CHAR (1)]
<u>SEMANTICS</u> [CHAR (1)]
<u>FIELDNAME</u> [CHAR (12)]
<u>NAME</u> [CHAR (30)]

RSFBP
<u>FBPNAME</u> [CHAR (30)]
<u>OBJVERS</u> [CHAR (1)]

RSFBPFIELD
<u>FBPNAME</u> [CHAR (30)]
<u>OBJVERS</u> [CHAR (1)]
<u>SEMANTICS</u> [CHAR (1)]
<u>FIELDNAME</u> [CHAR (12)]

RSFBPSEMANTICS
<u>FBPNAME</u> [CHAR (30)]
<u>OBJVERS</u> [CHAR (1)]
<u>SEMANTICS</u> [CHAR (1)]

RSFBPFIELDDGENPRO-FBPNAME = RSFBP-FBPNAME

1
0..N
0..N

RSFBPFIELDDGENPRO-FIELDNAME = RSFBPFIELD-FIELDNAME

RSFBPFIELDDGENPRO-SEMANTICS = RSFBPSEMANTICS-SEMANTICS

0..N

0..N