

SAP ABAP table S150 {W&S: Rough Workload Estimate}

S150
<u>MANDT</u> [CLNT (3)]
<u>SSOUR</u> [CHAR (4)]
<u>VRGIO</u> [CHAR (3)]
<u>SPMON</u> [NUMC (6)]
<u>SPTAG</u> [DATS (8)]
<u>SPWOC</u> [NUMC (6)]
<u>SPBUP</u> [NUMC (6)]
<u>LGNUM</u> [CHAR (3)]
<u>VZTTG</u> [CHAR (1)]
<u>WARTYP</u> [CHAR (1)]
<u>BELTYP</u> [CHAR (3)]
<u>METYP</u> [CHAR (1)]
<u>VHART</u> [CHAR (4)]
<u>TIMEL</u> [CHAR (4)]
<u>GEWEH</u> [UNIT (3)]
<u>VOLEH</u> [UNIT (3)]

T000
<u>MANDT</u> [CLNT (3)]

T006
<u>MANDT</u> [CLNT (3)]
<u>MSEHI</u> [UNIT (3)]

T300
<u>MANDT</u> [CLNT (3)]
<u>LGNUM</u> [CHAR (3)]

TC37A
<u>MANDT</u> [CLNT (3)]
<u>SCHGRUP</u> [CHAR (2)]
<u>KAPTPROG</u> [CHAR (4)]
<u>ENDDA</u> [DATS (8)]

TMET
<u>MANDT</u> [CLNT (3)]
<u>METYP</u> [CHAR (1)]

TVTY
<u>MANDT</u> [CLNT (3)]
<u>TRATY</u> [CHAR (4)]

