

SAP ABAP table SDIAG_CH_PATH {Storage of Customer-Specific File Paths for SM Diagnostics}

SDIAG_CH_PATH
<u>KONZS</u> [CHAR (10)]
<u>PRODUCT</u> [CHAR (20)]
<u>INSTANCE</u> [CHAR (20)]
<u>COMPONENT</u> [CHAR (20)]
<u>HOSTNAME</u> [CHAR (20)]
<u>SYSTEMNAME</u> [CHAR (8)]
<u>SYSTEMTYPE</u> [CHAR (10)]
<u>ID</u> [CHAR (32)]

SDIAG_CH_PATH-COMPONENT = SMSY_COMPONENT-COMPONENT

0..N

SMSY_COMPONENT
<u>COMPONENT</u> [CHAR (20)]

1

SDIAG_CH_PATH-HOSTNAME = SMSY_HOST-HOSTNAME

0..N

SMSY_HOST
<u>HOSTNAME</u> [CHAR (20)]
<u>KONZS</u> [CHAR (10)]
<u>VERSION</u> [CHAR (10)]

0..N

SDIAG_CH_PATH-SYSTEMNAME = SMSY_SYSTEM-SYSTEMNAME

1

SMSY_SYSTEM
<u>SYSTEMNAME</u> [CHAR (8)]
<u>KONZS</u> [CHAR (10)]
<u>VERSION</u> [CHAR (10)]
<u>SYSTEMTYPE</u> [CHAR (10)]

1

SDIAG_CH_PATH-SYSTEMTYPE = SMSY_SYSTEMTYPE-SYSTEMTYPE

0..N

SMSY_SYSTEMTYPE
<u>SYSTEMTYPE</u> [CHAR (10)]

0..N