


SAP ABAP table SIC_NORM_TS_SEQUENCEV {Variables of a Sequence of Basic Rules}

SIC_NORM_TS_SEQUENCEV
<u>ATTR_NORM_RULE</u> [CHAR (30)]
<u>BASIC_RULE_TYPE</u> [CHAR (30)]
<u>BASIC_RULE</u> [CHAR (30)]
<u>CONDITIONAL_RULE</u> [CHAR (30)]
<u>CALL_NR</u> [INT4 (10)]
VAR [CHAR (30)]
LOG_VAR [CHAR (30)]
NORM_TYPE_IN [CHAR (20)]
NORM_TYPE_OUT [CHAR (20)]



SIC_NORM_ANORMMRI
<u>MANDT</u> [CLNT (3)]
<u>ATTR_NORM_RULE</u> [CHAR (30)]
<u>LOG_VAR</u> [CHAR (30)]

SIC_NORM_ANORMMRR
<u>MANDT</u> [CLNT (3)]
<u>ATTR_NORM_RULE</u> [CHAR (30)]
<u>BASIC_RULE_TYPE</u> [CHAR (30)]
<u>BASIC_RULE</u> [CHAR (30)]
<u>CONDITIONAL_RULE</u> [CHAR (30)]
<u>CALL_NR</u> [INT4 (10)]