

# SAP ABAP table SICL961 {TICL961: Screen Structure}

SICL961-CLIENT = T000-MANDT

T000
<u>MANDT</u> [CLNT (3)]

0..N

TBRF100
<u>CLIENT</u> [CLNT (3)]
<u>IMPORT_STATUS</u> [CHAR (1)]
<u>APPLCLASS</u> [CHAR (30)]

0..N

TBRF110
<u>CLIENT</u> [CLNT (3)]
<u>IMPORT_STATUS</u> [CHAR (1)]
<u>APPLCLASS</u> [CHAR (30)]
<u>EVENT</u> [CHAR (20)]
<u>VERSION</u> [NUMC (4)]

0..N

TBRF150
<u>CLIENT</u> [CLNT (3)]
<u>IMPORT_STATUS</u> [CHAR (1)]
<u>APPLCLASS</u> [CHAR (30)]
<u>EXPRESSION</u> [CHAR (20)]
<u>VERSION</u> [NUMC (4)]

0..N

0..N

TBRF170
<u>CLIENT</u> [CLNT (3)]
<u>IMPORT_STATUS</u> [CHAR (1)]
<u>APPLCLASS</u> [CHAR (30)]
<u>ACTION</u> [CHAR (20)]
<u>VERSION</u> [NUMC (4)]

0..N

0..N

TICL001
<u>CLIENT</u> [CLNT (3)]
<u>CCTYPE</u> [CHAR (2)]

0..N

USR02
<u>MANDT</u> [CLNT (3)]
<u>BNAME</u> [CHAR (12)]

0..N

0..N

SICL961
<u>CLIENT</u> [CLNT (3)]
<u>APPLCLASS</u> [CHAR (30)]
<u>EVENT</u> [CHAR (20)]
<u>EXPRESSION</u> [CHAR (20)]
<u>ACTION</u> [CHAR (20)]
<u>EXPR_GATE</u> [CHAR (20)]
<u>CREATED_BY</u> [CHAR (12)]
<u>CHANGED_BY</u> [CHAR (12)]
<u>AUX_ACTION</u> [CHAR (20)]
<u>EVENTCAT</u> [CHAR (2)]

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

SICL961-APPLCLASS = TBRF100-APPLCLASS

SICL961-EVENT = TBRF110-APPLCLASS

SICL961-EXPRESSION = TBRF150-EXPRESSION

SICL961-EXPR\_GATE = TBRF150-EXPRESSION

SICL961-ACTION = TBRF170-ACTION

SICL961-AUX\_ACTION = TBRF170-ACTION

SICL961-EVENTCAT = TICL001-CCTYPE

SICL961-CHANGED\_BY = USR02-BNAME

SICL961-CREATED\_BY = USR02-BNAME