

SAP ABAP table SICL_SHOW_RULES {ICL: Structure for Displaying Rule-Event Assignment}

SICL_SHOW_RULES-CLIENT = T000-MANDT

T000
<u>MANDT</u> [CLNT (3)]

TBRF100
<u>CLIENT</u> [CLNT (3)]
<u>IMPORT_STATUS</u> [CHAR (1)]
<u>APPLCLASS</u> [CHAR (30)]

TBRF110
<u>CLIENT</u> [CLNT (3)]
<u>IMPORT_STATUS</u> [CHAR (1)]
<u>APPLCLASS</u> [CHAR (30)]
<u>EVENT</u> [CHAR (20)]
<u>VERSION</u> [NUMC (4)]

TBRF150
<u>CLIENT</u> [CLNT (3)]
<u>IMPORT_STATUS</u> [CHAR (1)]
<u>APPLCLASS</u> [CHAR (30)]
<u>EXPRESSION</u> [CHAR (20)]
<u>VERSION</u> [NUMC (4)]

TBRF170
<u>CLIENT</u> [CLNT (3)]
<u>IMPORT_STATUS</u> [CHAR (1)]
<u>APPLCLASS</u> [CHAR (30)]
<u>ACTION</u> [CHAR (20)]
<u>VERSION</u> [NUMC (4)]

TBRF280
<u>CLIENT</u> [CLNT (3)]
<u>IMPORT_STATUS</u> [CHAR (1)]
<u>APPLCLASS</u> [CHAR (30)]
<u>RULESET</u> [CHAR (20)]
<u>VERSION</u> [NUMC (4)]

TICL007
<u>CLIENT</u> [CLNT (3)]
<u>PLINEOFBUS</u> [CHAR (3)]

TICL011
<u>CLIENT</u> [CLNT (3)]
<u>CLTYPE</u> [CHAR (4)]
<u>VERSION</u> [NUMC (5)]

USR02
<u>MANDT</u> [CLNT (3)]
<u>BNAME</u> [CHAR (12)]

SICL_SHOW_RULES
<i>CLIENT</i> [CLNT (3)]
<i>APPLCLASS</i> [CHAR (30)]
<i>EVENT</i> [CHAR (20)]
<i>PLINEOFBUS</i> [CHAR (3)]
<i>CLTYPE</i> [CHAR (4)]
<i>EXPRESSION</i> [CHAR (20)]
<i>ACTION</i> [CHAR (20)]
<i>EXPR_GATE</i> [CHAR (20)]
<i>REF_DATE_EXPR</i> [CHAR (20)]
<i>REF_TIME_EXPR</i> [CHAR (20)]
<i>CREATED_BY</i> [CHAR (12)]
<i>CHANGED_BY</i> [CHAR (12)]
<i>RULESET</i> [CHAR (20)]

