

SAP ABAP table SWIWIOBJCT {Generated Table for View}

SWIWIOBJCT
<u>CLIENT</u> [CLNT (3)]
<u>OBJTYPE</u> [CHAR (10)]
OBJKEY [CHAR (70)]
WI_ID [NUMC (12)]
WI_TYPE [CHAR (1)]
WI_CREATOR [CHAR (90)]
<u>WI_LANG</u> [LANG (1)]
WI_TEXT [CHAR (120)]
WI_RHTEXT [CHAR (40)]
WI_STAT [CHAR (12)]
WI_CD [DATS (8)]
WI_CT [TIMS (6)]
WI_AAGENT [CHAR (12)]
<u>WI_CHKWI</u> [NUMC (12)]
WI_RH_TASK [CHAR (14)]
WI_PRIO [NUMC (1)]
WI_CONFIRM [CHAR (1)]
WI_FORW_BY [CHAR (12)]
WI_DISABLE [CHAR (1)]
WI_REJECT [CHAR (1)]
<u>TCLASS</u> [CHAR (12)]
NOTE_EXIST [CHAR (1)]
WI_DH_STAT [NUMC (4)]
WI_RELEASE [CHAR (4)]
ELEMENT [CHAR (32)]
WI_AED [DATS (8)]
WI_AADDR [CHAR (28)]
WI_CRUSER [CHAR (12)]
WI_CRADDR [CHAR (28)]
WI_CBFEB [CHAR (30)]
WI_COMP_EV [CHAR (1)]
NOTIFY [CHAR (1)]
RETRY_CNT [NUMC (2)]
MAX_RETRY [NUMC (2)]
RC_MODELED [CHAR (1)]
CB_DONE [CHAR (1)]
HANDLE [NUMC (12)]
SYNCCHAIN [CHAR (1)]
NO_DEADL [CHAR (1)]
WLC_DISPL [CHAR (1)]
WI_RESTLOG [CHAR (1)]
REMOTE_ID [NUMC (12)]
<u>REMOTE_SYS</u> [CHAR (10)]
STATUS_EVT [CHAR (1)]
TIMEOUT [INT4 (10)]
WF_TYPE [NUMC (4)]
WLC_FLAGS [RAW (4)]
<u>XMLPROT</u> [NUMC (2)]
WAIT4CB [CHAR (1)]
TOP_WI_ID [NUMC (12)]
DEF_GUID [CHAR (40)]
EXEC_TIME [INT4 (10)]
NOTE_COUNT [INT4 (10)]
CREA_TMP [DEC (21)]

SWWWIHEAD
<u>CLIENT</u> [CLNT (3)]
<u>WI_ID</u> [NUMC (12)]

T000
<u>MANDT</u> [CLNT (3)]

T002
<u>SPRAS</u> [LANG (1)]

T77TC
<u>MANDT</u> [CLNT (3)]
<u>TCLASS</u> [CHAR (12)]

TBDLS
<u>LOGSYS</u> [CHAR (10)]

TOJTB
<u>NAME</u> [CHAR (10)]

