

## SAP ABAP table T52SPOT {Process Manager: Objects of Set}

| <b>T52SPOT</b>               |
|------------------------------|
| <u>MANDT</u> [CLNT (3)]      |
| <u>PROCESSID</u> [NUMC (10)] |
| <u>STEPID</u> [NUMC (10)]    |
| <u>RUNID</u> [NUMC (10)]     |
| <u>PARAID</u> [NUMC (6)]     |
| <u>OBJ_TYPE</u> [CHAR (10)]  |
| <u>OBJ_KEY</u> [CHAR (60)]   |
| <u>TARGET</u> [CHAR (8)]     |

| <b>T000</b>             |
|-------------------------|
| <u>MANDT</u> [CLNT (3)] |

T52SPOT-MANDT = T000-MANDT

0..N

1  
1

T52SPOT-PROCESSID = T52SP-PROCESSID

0..N

1

T52SPOT-PARAID = T52SPS-PARAID

0..N

| <b>T52SP</b>                 |
|------------------------------|
| <u>MANDT</u> [CLNT (3)]      |
| <u>PROCESSID</u> [NUMC (10)] |

| <b>T52SPS</b>                |
|------------------------------|
| <u>MANDT</u> [CLNT (3)]      |
| <u>PROCESSID</u> [NUMC (10)] |
| <u>STEPID</u> [NUMC (10)]    |
| <u>RUNID</u> [NUMC (10)]     |
| <u>PARAID</u> [NUMC (6)]     |