

# SAP ABAP table TBAV\_DCS\_OVRVIEW {Generated Table for View}

<b>TBAC_DCS</b>
<u>CLIENT</u> [CLNT (3)]
<u>DCSID</u> [CHAR (6)]

<b>TBAV_DCS_OVRVIEW</b>
<u>CLIENT</u> [CLNT (3)]
<u>DCSID</u> [CHAR (6)]
<u>MIC</u> [CHAR (4)]
<u>VALIDFROM</u> [DATS (8)]
<u>DERIVATIVETYPE</u> [NUMC (3)]
<u>LIFECYCLESTATUS</u> [NUMC (3)]
<u>DCS_URL</u> [CHAR (255)]
<u>ENTERED_BY</u> [CHAR (12)]
<u>ENTERED_DATE</u> [DATS (8)]
<u>ENTERED_TIME</u> [TIMS (6)]
<u>CHANGED_BY</u> [CHAR (12)]
<u>CHANGED_DATE</u> [DATS (8)]
<u>CHANGED_TIME</u> [TIMS (6)]
<u>MIC_LANGU</u> [LANG (1)]
<u>MIC_TXT</u> [CHAR (40)]
<u>DCSID_LANGU</u> [LANG (1)]
<u>DCSID_TXT</u> [CHAR (40)]
<u>DCS_QNT</u> [QUAN (13)]
<u>DCS_UOM</u> [UNIT (3)]
<u>DCS_CPE_UOM</u> [UNIT (3)]
<u>QUOT_UOM</u> [UNIT (3)]
<u>QUOT_CURRUNIT</u> [CHAR (5)]
<u>QUOT_CURR</u> [CUKY (5)]
<u>QUOT_DECIMALS</u> [NUMC (2)]
<u>DCSSYMBL</u> [CHAR (4)]
<u>CALENDAR</u> [CHAR (2)]
<u>EXPDATELOGIC</u> [NUMC (3)]
<u>REPDATELOGIC</u> [NUMC (3)]
<u>UNDERLYING_DCSID</u> [CHAR (6)]
<u>OPTSTYLE</u> [NUMC (1)]
<u>COMMODITY_LANGU</u> [LANG (1)]
<u>PHYSCOMM_UOM</u> [UNIT (3)]
<u>SDEF_ID</u> [CHAR (4)]
<u>PDEF_ID</u> [CHAR (10)]

