

SAP ABAP table TBZ5 {BDT: Where-Used List - Structure Table}

TBZ5-CLASS_IF_REFOB = SEOCCLASS-CLSNAME

0..N

SEOCCLASS
<u>CLSNAME</u> [CHAR (30)]

0..N

T000
<u>MANDT</u> [CLNT (3)]

0..N

TBZ5B
<u>CLIENT</u> [CLNT (3)]
<u>OBJAP</u> [CHAR (4)]

TBZ5-RELATKEY = TBZ5-NODE_KEY

1,1..N 1 1

TBZ5
<u>CLIENT</u> [CLNT (3)]
<u>OBJAP</u> [CHAR (4)]
<u>NODE_KEY</u> [CHAR (10)]
<u>RELATKEY</u> [CHAR (10)]
<u>FNLEFT</u> [CHAR (30)]
<u>FNRIGHT</u> [CHAR (30)]
<u>FNCHANGE</u> [CHAR (30)]
<u>FNTEXT</u> [CHAR (30)]
<u>FNTREE</u> [CHAR (30)]
<u>FNSECURE</u> [CHAR (30)]
<u>FNCONT</u> [CHAR (30)]
<u>CLASS_IF_REFOB</u> [CHAR (30)]
<u>FN_CHECK_COPY</u> [CHAR (30)]
<u>FN_CHECK_MOVE</u> [CHAR (30)]
<u>FN_COPY</u> [CHAR (30)]
<u>FN_MOVE</u> [CHAR (30)]
<u>FN_GET_DETAILS</u> [CHAR (30)]
<u>FN_GET_REFERENCE</u> [CHAR (30)]

1

1

1

1

1

1

1

1

1

1

1

1

1

TBZ5-FNCHANGE = TFDIR-FUNCNAME

TBZ5-FNCONT = TFDIR-FUNCNAME

TBZ5-FNLEFT = TFDIR-FUNCNAME

TBZ5-FNRIGHT = TFDIR-FUNCNAME

TBZ5-FNSECURE = TFDIR-FUNCNAME

TBZ5-FNTEXT = TFDIR-FUNCNAME

TBZ5-FNTREE = TFDIR-FUNCNAME

TBZ5-FN_CHECK_COPY = TFDIR-FUNCNAME

TBZ5-FN_CHECK_MOVE = TFDIR-FUNCNAME

TBZ5-FN_COPY = TFDIR-FUNCNAME

TBZ5-FN_GET_DETAILS = TFDIR-FUNCNAME

TBZ5-FN_GET_REFERENCE = TFDIR-FUNCNAME

TBZ5-FN_MOVE = TFDIR-FUNCNAME

0..N {0,1}

{0,1}

TFDIR
<u>FUNCNAME</u> [CHAR (30)]

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N