

SAP ABAP table TIME_DATA_TEVENT_DIS {Display Time Events Fields}

TIME_DATA_TEVENT_DIS-MEINH = T006-MSEHI

TIME_DATA_TEVENT_DIS
VGE01 [UNIT (3)]
SOE01 [UNIT (3)]
RUE01 [UNIT (3)]
VGE02 [UNIT (3)]
SOE02 [UNIT (3)]
RUE02 [UNIT (3)]
VGE03 [UNIT (3)]
SOE03 [UNIT (3)]
RUE03 [UNIT (3)]
VGE04 [UNIT (3)]
SOE04 [UNIT (3)]
RUE04 [UNIT (3)]
VGE05 [UNIT (3)]
SOE05 [UNIT (3)]
RUE05 [UNIT (3)]
VGE06 [UNIT (3)]
SOE06 [UNIT (3)]
RUE06 [UNIT (3)]
MEINH [UNIT (3)]

T006
MANDT [CLNT (3)]
MSEHI [UNIT (3)]

0..N 0..N 0..N

0..N

TIME_DATA_TEVENT_DIS-RUE01 = T006-MSEHI

TIME_DATA_TEVENT_DIS-RUE02 = T006-MSEHI

TIME_DATA_TEVENT_DIS-RUE03 = T006-MSEHI

TIME_DATA_TEVENT_DIS-RUE04 = T006-MSEHI

0..N

TIME_DATA_TEVENT_DIS-RUE05 = T006-MSEHI

0..N

TIME_DATA_TEVENT_DIS-RUE06 = T006-MSEHI

0..N

TIME_DATA_TEVENT_DIS-SOE01 = T006-MSEHI

0..N

TIME_DATA_TEVENT_DIS-SOE02 = T006-MSEHI

0..N

TIME_DATA_TEVENT_DIS-SOE03 = T006-MSEHI

0..N

TIME_DATA_TEVENT_DIS-SOE04 = T006-MSEHI

0..N

TIME_DATA_TEVENT_DIS-SOE05 = T006-MSEHI

0..N

TIME_DATA_TEVENT_DIS-SOE06 = T006-MSEHI

0..N

TIME_DATA_TEVENT_DIS-VGE01 = T006-MSEHI

0..N

TIME_DATA_TEVENT_DIS-VGE02 = T006-MSEHI

0..N

TIME_DATA_TEVENT_DIS-VGE03 = T006-MSEHI

TIME_DATA_TEVENT_DIS-VGE04 = T006-MSEHI

TIME_DATA_TEVENT_DIS-VGE05 = T006-MSEHI

TIME_DATA_TEVENT_DIS-VGE06 = T006-MSEHI

0..N 0..N 0..N