

SAP ABAP table TIVAJMINMAXINC {Minimum/Maximum Increase per Adjustment Rule}

TIVAJRULE
<u>MANDT</u> [CLNT (3)]
<u>ADJMRULE</u> [CHAR (10)]

TIVAJMINMAXINC
<u>MANDT</u> [CLNT (3)]
<u>ADJMRULE</u> [CHAR (10)]
<u>ADJMREASON</u> [CHAR (10)]
<u>PERIODMONTH</u> [NUMC (3)]
<u>MINMAXCURR</u> [CUKY (5)]
<u>MAXMINUNIT</u> [UNIT (3)]

T006
<u>MANDT</u> [CLNT (3)]
<u>MSEHI</u> [UNIT (3)]

TCURC
<u>MANDT</u> [CLNT (3)]
<u>WAERS</u> [CUKY (5)]

TIVAJREASON
<u>MANDT</u> [CLNT (3)]
<u>ADJMMETH</u> [CHAR (4)]
<u>ADJMREASON</u> [CHAR (10)]

TIVAJMINMAXINC-MAXMINUNIT = T006-MSEHI

0..N

TIVAJMINMAXINC-MINMAXCURR = TCURC-WAERS

0..N

TIVAJMINMAXINC-ADJMREASON = TIVAJREASON-ADJMREASON

0..N

1
1
1