

SAP ABAP table VCRMD_PRODUCT_I {Change document structure; generated by RSSCD000}

VCRMD_PRODUCT_I-COMM_GROUP = CRMC_COMM_GRP-COMM_GROUP

CRMC_COMM_GRP
<u>CLIENT</u> [CLNT (3)]
<u>COMM_GROUP</u> [CHAR (2)]

VCRMD_PRODUCT_I-PRC_GROUP1 = CRMC_PRC_GRP1-PRC_GROUP1

CRMC_PRC_GRP1
<u>CLIENT</u> [CLNT (3)]
<u>PRC_GROUP1</u> [CHAR (3)]

VCRMD PRODUCT I-PRC GROUP2 = CRMC PRC GRP2-PRC GROUP2

CRMC_PRC_GRP2
<u>CLIENT</u> [CLNT (3)]
<u>PRC_GROUP2</u> [CHAR (3)]

VCRMD_PRODUCT I-PRC_GROUP3 = CRMC_PRC_GRP3-PRC_GROUP3

CRMC_PRC_GRP3
<u>CLIENT</u> [CLNT (3)]
<u>PRC_GROUP3</u> [CHAR (3)]

VCRMD PRODUCT I-PRC GROUP4 = CRMC PRC GRP4-PRC GROUP4

CRMC_PRC_GRP4
<u>CLIENT</u> [CLNT (3)]
<u>PRC_GROUP4</u> [CHAR (3)]

VCRMD PRODUCT I-PRC GROUP5 = CRMC_PRC_GRP5-PRC_GROUP5

CRMC_PRC_GRP5
<u>CLIENT</u> [CLNT (3)]
<u>PRC_GROUP5</u> [CHAR (3)]

VCRMD_PRODUCT_I-PROD_PR_GROUP = CRMC_PRC_PRGRP-PRC_PR_GROUP

CRMC_PRC_PRGRP
<u>CLIENT</u> [CLNT (3)]
<u>PRC_PR_GROUP</u> [CHAR (2)]

VCRMD PRODUCT I-REBATE GROUP = CRMC REBATEGRP-REBATE GROUP

CRMC_REBATEGRP
<u>CLIENT</u> [CLNT (3)]
<u>REBATE_GROUP</u> [CHAR (2)]

VCRM_PRODUCT_I
<i>COMM_GROUP</i> [CHAR (2)]
<i>REBATE_GROUP</i> [CHAR (2)]
<i>PROD_PR_GROUP</i> [CHAR (2)]
<i>PRC_GROUP1</i> [CHAR (3)]
<i>PRC_GROUP2</i> [CHAR (3)]
<i>PRC_GROUP3</i> [CHAR (3)]
<i>PRC_GROUP4</i> [CHAR (3)]
<i>PRC_GROUP5</i> [CHAR (3)]