

SAP ABAP table VCRMD_SALES {Change document structure; generated by RSSCD000}

VCRMD_SALES-SEARCH_PATTERN = CRMC_ATP_SEARCH-SEARCH_PATTERN

CRMC_ATP_SEARCH
<u>CLIENT</u> [CLNT (3)]
SEARCH_PATTERN [CHAR (10)]

VCRMD_SALES-CUST_GROUP1 = CRMC_CUSTGRP1-CUST_GROUP1

CRMC_CUSTGRP1
<u>CLIENT</u> [CLNT (3)]
CUST_GROUP1 [CHAR (3)]

VCRMD_SALES-CUST_GROUP2 = CRMC_CUSTGRP2-CUST_GROUP2

CRMC_CUSTGRP2
<u>CLIENT</u> [CLNT (3)]
CUST_GROUP2 [CHAR (3)]

VCRMD_SALES-CUST_GROUP3 = CRMC_CUSTGRP3-CUST_GROUP3

CRMC_CUSTGRP3
<u>CLIENT</u> [CLNT (3)]
CUST_GROUP3 [CHAR (3)]

VCRMD_SALES-CUST_GROUP4 = CRMC_CUSTGRP4-CUST_GROUP4

CRMC_CUSTGRP4
<u>CLIENT</u> [CLNT (3)]
CUST_GROUP4 [CHAR (3)]

VCRMD_SALES-CUST_GROUP5 = CRMC_CUSTGRP5-CUST_GROUP5

CRMC_CUSTGRP5
<u>CLIENT</u> [CLNT (3)]
CUST_GROUP5 [CHAR (3)]

VCRMD_SALES-REJECTION = CRMC_REJECTION-REJECTION_CODE

CRMC_REJECTION
<u>CLIENT</u> [CLNT (3)]
REJECTION_CODE [CHAR (2)]

VCRMD_SALES-SUBST_EXCL = CRMC_SUBST_EXCL-SUBST_EXCL

CRMC_SUBST_EXCL
<u>CLIENT</u> [CLNT (3)]
SUBST_EXCL [CHAR (2)]

VCRMD_SALES-USAGE_TYPE = CRMC_USAGE-CALL_USAGE

CRMC_USAGE
<u>CLIENT</u> [CLNT (3)]
CALL_USAGE [CHAR (3)]

VCRMD_SALES
CUST_GROUP1 [CHAR (3)]
CUST_GROUP2 [CHAR (3)]
CUST_GROUP3 [CHAR (3)]
CUST_GROUP4 [CHAR (3)]
CUST_GROUP5 [CHAR (3)]
USAGE_TYPE [CHAR (3)]
REJECTION [CHAR (2)]
SUBST_EXCL [CHAR (2)]
SEARCH_PATTERN [CHAR (10)]

0..N

{0,1}

{0,1}

{0,1}

{0,1}

{0,1}

0..N

{0,1}

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N