

SAP ABAP table VIAJRECORD {Adjustment record}

VICAPROCESSID
<u>MANDT</u> [CLNT (3)]
<u>PROCESSGUID</u> [RAW (16)]
<u>VERSION</u> [CHAR (3)]

TIVAJRULE
<u>MANDT</u> [CLNT (3)]
<u>ADJMRULE</u> [CHAR (10)]

VIAJRECORD
<u>MANDT</u> [CLNT (3)]
<u>RECORDGUID</u> [RAW (16)]
<u>PROCESSGUID</u> [RAW (16)]
<u>ADJMRULE</u> [CHAR (10)]
<u>ADJMSUBRULE</u> [CHAR (10)]
<u>ADJMSUBMETH</u> [CHAR (4)]
<u>ADJMRULEDEFAULT</u> [CHAR (10)]
<u>ADJMREASON</u> [CHAR (10)]
<u>CHGREASON</u> [CHAR (10)]
<u>CARRYOVERCT</u> [CHAR (4)]
<u>CONDPURPOSENEW</u> [CHAR (4)]
<u>CONDTYPENEW</u> [CHAR (4)]

TIVAJMETH
<u>ADJMMETH</u> [CHAR (4)]

TIVAJREASON
<u>MANDT</u> [CLNT (3)]
<u>ADJMMETH</u> [CHAR (4)]
<u>ADJMREASON</u> [CHAR (10)]

TIVCDCHGREAS
<u>MANDT</u> [CLNT (3)]
<u>CONDTYPE</u> [CHAR (4)]
<u>CHGREASON</u> [CHAR (10)]

TIVCDCONDTYPE
<u>MANDT</u> [CLNT (3)]
<u>CONDTYPE</u> [CHAR (4)]

TIVCDCOPUEXT
<u>MANDT</u> [CLNT (3)]
<u>CONDPURPOSEEXT</u> [CHAR (4)]

VIAJRECORD-ADJMSUBMETH = TIVAJMETH-ADJMMETH 0..N

VIAJRECORD-ADJMREASON = TIVAJREASON-ADJMREASON 0..N

VIAJRECORD-CHGREASON = TIVCDCHGREAS-CHGREASON 0..N

VIAJRECORD-CARRYOVERCT = TIVCDCONDTYPE-CONDTYPE

VIAJRECORD-CONDTYPENEW = TIVCDCONDTYPE-CONDTYPE 0..N

VIAJRECORD-CONDPURPOSENEW = TIVCDCOPUEXT-CONDPURPOSEEXT 0..N