

SAP ABAP table VIAJRECORD_TAB {Adjustment Record: Non-Key Fields}

VICAPROCESSID
<u>MANDT</u> [CLNT (3)]
<u>PROCESSGUID</u> [RAW (16)]
<u>VERSION</u> [CHAR (3)]

TIVAJRULE
<u>MANDT</u> [CLNT (3)]
<u>ADJMRULE</u> [CHAR (10)]

VIAJRECORD_TAB
<i>PROCESSGUID</i> [RAW (16)]
<i>ADJMRULE</i> [CHAR (10)]
<i>ADJMSUBRULE</i> [CHAR (10)]
<i>ADJMSUBMETH</i> [CHAR (4)]
<i>ADJMRULEDEFAULT</i> [CHAR (10)]
<i>ADJMREASON</i> [CHAR (10)]
<i>CHGREASON</i> [CHAR (10)]
<i>CARRYOVERCT</i> [CHAR (4)]
<i>CONDPURPOSENEW</i> [CHAR (4)]
<i>CONDTYPENEW</i> [CHAR (4)]

VIAJRECORD_TAB-ADJMSUBMETH = TIVAJMETH-ADJMMETH

0..N

TIVAJMETH
<u>ADJMMETH</u> [CHAR (4)]

VIAJRECORD_TAB-ADJMREASON = TIVAJREASON-ADJMREASON

0..N

TIVAJREASON
<u>MANDT</u> [CLNT (3)]
<u>ADJMMETH</u> [CHAR (4)]
<u>ADJMREASON</u> [CHAR (10)]

VIAJRECORD_TAB-CHGREASON = TIVCDCHGREAS-CHGREASON

0..N

TIVCDCHGREAS
<u>MANDT</u> [CLNT (3)]
<u>CONDTYPE</u> [CHAR (4)]
<u>CHGREASON</u> [CHAR (10)]

VIAJRECORD_TAB-CARRYOVERCT = TIVCDCONDTYPE-CONDTYPE

VIAJRECORD_TAB-CONDTYPENEW = TIVCDCONDTYPE-CONDTYPE

0..N

0..N

TIVCDCONDTYPE
<u>MANDT</u> [CLNT (3)]
<u>CONDTYPE</u> [CHAR (4)]

VIAJRECORD_TAB-CONDPURPOSENEW = TIVCDCOPUEXT-CONDPURPOSEEXT

0..N

TIVCDCOPUEXT
<u>MANDT</u> [CLNT (3)]
<u>CONDPURPOSEEXT</u> [CHAR (4)]