

# SAP ABAP table VVAR\_AT21\_2 {Generated Table for View VVAR\_AT21\_2}

| VVAR_AT21_2                |
|----------------------------|
| <u>MANDT</u> [CLNT (3)]    |
| <u>SABVERF</u> [CHAR (5)]  |
| <u>RANTYP</u> [CHAR (1)]   |
| <u>SBARTIN</u> [CHAR (4)]  |
| <u>SSIGNIN</u> [CHAR (1)]  |
| <u>SBARTEX</u> [CHAR (4)]  |
| <u>SSIGNEX</u> [CHAR (1)]  |
| <u>DABGUELT</u> [DATS (8)] |

VVAR\_AT21\_2-SABVERF = AT22-SABVERF 1..N

| AT22                      |
|---------------------------|
| <u>MANDT</u> [CLNT (3)]   |
| <u>SABVERF</u> [CHAR (5)] |

1 VVAR\_AT21\_2-MANDT = T000-MANDT 1..N

| T000                    |
|-------------------------|
| <u>MANDT</u> [CLNT (3)] |

1 VVAR\_AT21\_2-SBARTEX = TZB0A-SBEWART 1

1 VVAR\_AT21\_2-SBARTIN = TZB0A-SBEWART 1..N

| TZB0A                     |
|---------------------------|
| <u>MANDT</u> [CLNT (3)]   |
| <u>RANTYP</u> [CHAR (1)]  |
| <u>SBEWART</u> [CHAR (4)] |

1..N