

SAP ABAP table WCACM {WCM: Current Operational Condition/Type}

WCACM
<u>MANDT</u> [CLNT (3)]
<u>IWERK</u> [CHAR (4)]
<u>CCOBJ</u> [CHAR (40)]
<u>CCTYP</u> [CHAR (1)]
<u>TGGRP</u> [CHAR (1)]
<u>ACTPROC</u> [CHAR (10)]
<u>ACTTYP</u> [CHAR (3)]

T000
<u>MANDT</u> [CLNT (3)]

T399I
<u>MANDT</u> [CLNT (3)]
<u>IWERK</u> [CHAR (4)]

WCCB
<u>MANDT</u> [CLNT (3)]
<u>TGPROC</u> [CHAR (10)]

WCCC
<u>MANDT</u> [CLNT (3)]
<u>TGTYP</u> [CHAR (3)]

WCCD
<u>MANDT</u> [CLNT (3)]
<u>TGGRP</u> [CHAR (1)]

WCACM-MANDT = T000-MANDT

0..N

WCACM-IWERK = T399I-IWERK

0..N

WCACM-ACTPROC = WCCB-TGPROC

0..N

WCACM-ACTTYP = WCCC-TGTYP

WCACM-TGGRP = WCCD-TGGRP

0..N